



Model 196 Cartridge Fired Projector Charge & Power Control Chart

DART CAPACITY IN CC

Distance		1/2 cc	1 cc	1 1/2 cc	2 cc	3 cc	4 cc	5 cc	6 cc	7 cc	10 cc
5 yards	=	B2/G1	B2/G1	G1	B3/G1	B4/G1	G1	G1	G1	G2	G3/Y1
10 yards	=	B2/G1	B2/G1	G1	G2	G2	G2	G2	G2	G3/Y1	G4/Y2
15 yards	=	G1	G1	G1	G2	G2	G2	G3	G4	G4/Y2	G5/Y3
20 yards	=	B4/G2	B4/G2	G1	G3	G3	G3	G4	G5/Y3	G5/Y3	Y4
25 yards	=	G3	G3	G2	G3	G3	G4	G4	G5/Y4	Y4	Y5
30 yards	=	G3	G3	G2	G4	G4	G5	G5	Y4	Y5	Y5
35 yards	=	G3	G3	G3	G4	G4	G5	Y4	Y5	Y5	NR
40 yards	=	G4	G4	G4	G5	G5	Y4	Y5	Y5	NR	NR
45 yards	=	G5	G5	Y4	Y4	Y4	Y4	Y4	Y5	NR	NR
50 yards	=	Y4	Y4	Y4	Y4	Y4	Y4	Y4	Y5	NR	NR
55 yards	=	Y4	Y5	Y5	Y5	Y5	Y5	Y5	NR	NR	NR
60 yards	=	Y5	Y5	Y5	Y5	Y5	Y5	Y5	NR	NR	NR
65 yards	=	Y5	Y5	Y5	NR	NR	NR	NR	NR	NR	NR
70 yards	=	Y5	Y5	Y5	NR	NR	NR	NR	NR	NR	NR

CCI POWER CHARGES

B = Brown
G = Green
Y = Yellow

POWER CONTROL SETTING

1, 2, 3, 4, 5

EXAMPLE

G3=Green Charge w/Power Control Setting @ 3
NR = Not Recommended

Please Note: This chart is a general guideline for the 196 projector. Intended target impact velocities may require alternate settings. Projectors sold prior to 3/02 are not compatible, please return your projector to receive free up-grade. (Shipping N.I.)